

Continue



Vital 1.2 af

Monday - Saturday: 8am - 5pm MST *Use the PRINT, EMAIL and PDF buttons, to the right, to share only this page. To share the full Product Catalog, please use the PRODUCT CATALOG > DOWNLOAD option from the navigation bar at the top of the page. PRINT EMAIL PDF download ') .html(message.text).text()> Product Description More Information Nutrition Facts Product Description More Information Nutrition Facts Water, Corn Maltodextrin, Whey Protein Hydrolysate, Hydrolyzed Sodium Caseinate, Structured Lipid (Interesterified Marine Oil [Contains One or More of the Following: Anchovy, Menhaden, Salmon, Sardine, Tuna], Medium-Chain Triglycerides), Medium Chain Triglycerides. Less than 1% of: Canola Oil, Soy Oil, Short-chain Fructooligosaccharides, Natural & Artificial Flavor, Cellulose Gel, DATEM, Magnesium Phosphate, Calcium Carbonate, Sodium Phosphate, Potassium Chloride, Calcium Phosphate, Potassium Citrate, Ascorbic Acid, Choline Chloride, Potassium Hydroxide, Magnesium Chloride, Acesulfame Potassium, Carrageenan, Cellulose Gum, Sucralose, L-Carnitine, Taurine, Zinc Sulfate, Ferrous Sulfate, Niacinamide, d-Alpha-Tocopheryl Acetate, Calcium Pantothenate, Manganese Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Copper Sulfate, Riboflavin, Vitamin A Palmitate, Folic Acid, Chromium Chloride, Sodium Molybdate, Potassium Iodide, Phylloquinone, Sodium Selenate, Biotin, Vitamin B12, and Vitamin D3. Water, Corn Maltodextrin, Whey Protein Hydrolysate, Hydrolyzed Molybdate, Potassium Iodide, Sodium Selenate, Phylloquinone, Biotin, Vitamin B12, and Vitamin D3. Contains milk ingredients. Serving Size: 8 fl oz (237 mL) * 1.2 g of dietary fiber supplied by short-chain fructooligosaccharides. Water, Corn Maltodextrin, Whey Protein Hydrolysate, Hydrolyzed Sodium Caseinate, Structured Lipid (Interesterified Marine Oil [Contains One or More of the Following: Anchovy, Cod, Jack Mackerel, Mackerel, Menhaden, Pollock, Salmon, Sardine, Tuna], and Medium-Chain Triglycerides), Medium Chain Triglycerides. Less than 1% of: Canola Oil, Soy Oil, Short-chain Fructooligosaccharides, Natural and Artificial Flavor, DATEM, Cellulose Gel, Magnesium Phosphate, Calcium Carbonate, Sodium Phosphate, Potassium Chloride, Calcium Phosphate, Potassium Citrate, Ascorbic Acid, Choline Chloride, Acesulfame Potassium, Carrageenan, Cellulose Gum, Potassium Hydroxide, L-Carnitine, Taurine, Sucralose, Zinc Sulfate, Niacinamide, Ferrous Sulfate, d-Alpha-Tocopheryl Acetate, Calcium Pantothenate, Manganese Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Copper Sulfate, Vitamin A Palmitate, Folic Acid, Chromium Chloride, Sodium Molybdate, Potassium Iodide, Phylloquinone, Sodium Selenate, Biotin, Vitamin B12, and Vitamin D3. Water, Corn Maltodextrin, Whey Protein Hydrolysate, Hydrolyzed Sodium Caseinate, Structured Lipid (Interesterified Marine Oil [Contains One or More of the Following: Anchovy, Cod, Jack Mackerel, Mackerel, Menhaden, Pollock, Salmon, Sardine, Tuna], and Medium-Chain Triglycerides), Medium Chain Triglycerides. Less than 1% of: Canola Oil, Soy Oil, Short-chain Fructooligosaccharides, Natural and Artificial Flavor, DATEM, Cellulose Gel, Magnesium Phosphate, Calcium Carbonate, Sodium Phosphate, Potassium Chloride, Calcium Phosphate, Potassium Citrate, Ascorbic Acid, Choline Chloride, Acesulfame Potassium, Carrageenan, Cellulose Gum, Potassium Hydroxide, L-Carnitine, Taurine, Sucralose, Zinc Sulfate, Niacinamide, Ferrous Sulfate, d-Alpha-Tocopheryl Acetate, Calcium Pantothenate, Manganese Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Copper Sulfate, Vitamin A Palmitate, Folic Acid, Chromium Chloride, Sodium Molybdate, Potassium Iodide, Phylloquinone, Sodium Selenate, Biotin, Vitamin B12, and Vitamin D3. Contains milk ingredients. Contains milk ingredients. VITAL AF 1.2 Cal is an Advanced Formula therapeutic elemental nutrition with a specialized formula to manage inflammation and symptoms of GI intolerance. It promotes tolerance by using well-tolerated and well absorbed fats from fish oil to get the best absorption of important fatty acids. Refined fish oil Eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA) helps regulate inflammation and is important to boosting the immune system. Hydrolyzed peptide-based protein also promotes tolerance and Abbott Nutrition uses prebiotic fiber NutraFlora®scFOS® developed to promote growth of good bacteria for optimal colon health. Vital AF 1.2 Cal also supports wound healing with high protein content that's beneficial for patients with metabolic stress. Critically ill patients will benefit from increased levels of vitamin D that supports tissues such as heart muscle and brain cells as well as regulates cell growth and development, immune function, and metabolic control. An increased amount of antioxidant vitamins C and vitamin E removes free radicals that cause cell damage. The formula also has 24 essential vitamins and minerals for well-rounded sole-source nutrition. Features, Benefits, Specifications, Precautions, Ingredients, Nutrition Information Features & Benefits: Provides Supplemental or Sole-Source Nutrition Great-Tasting Vanilla Flavor Promotes Tolerance Promotes Absorption of Fatty Acids Uses Well-Tolerated Fats 24 Essential Vitamins and Minerals High in Protein Promotes Wound Healing Helps Metabolic Stressed Patients Prebiotic Fibers for Colon Health Modulates Inflammation Support Immune Function Increased Vitamin D for Heart Health, Immune System and Metabolic Control Reduces Free Radicals from Cells Specifications: Manufacturer: Abbott Nutrition Brand: Vital Item Numbers: 64828, 62715 UNSPSC Code: 42231803 HCPCS Code: B4153 Size: 8 oz Tetra Carton, 1000 mL Flavor: Vanilla Application: Oral or Tube Feeding Gluten-Free Suitable for Lactose Intolerance Low-Residue Product Information for Vital AF 1.2 CAL Precautions: Feeding sets cannot be shared and should only be for single-patient use only to avoid contamination. Use under medical supervision. Not for IV use. Do not consume if you have galactosemia. Always use careful and safe handling procedures. Ingredients: Liquid Vanilla: Water, Corn Maltodextrin, Whey Protein Hydrolysate, Hydrolyzed Sodium Caseinate. Less than 2% ofthe Following: Structured lipid (Interesterified Marine Oil [Contains One or More of the Following:Anchovy, Cod, Menhaden, Pollack, Salmon, Sardine, Tuna] and Medium Chain Triglycerides), MediumChainTriglycerides, Canola Oil, Soy Oil, Short-Chain Fructooligosaccharides, Natural & Artificial Flavor,Cellulose Gel, DATEM, Magnesium Phosphate, Calcium Carbonate, Potassium Chloride, SodiumPhosphate, Potassium Citrate, Ascorbic Acid, Choline Chloride, Acesulfame Potassium, Carrageenan,Cellulose Gum, Calcium Phosphate, Sucralose, d-Alpha-Tocopheryl Acetate, L-Carnitine, Taurine,Magnesium Chloride, Zinc Sulfate, Ferrous Sulfate, Niacinamide, Calcium Pantothenate, ManganeseSulfate, Cupric Sulfate, Thiamine Chloride Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Vitamin APalmitate, Folic Acid, Biotin, Chromium Chloride, Sodium Molybdate, Potassium Iodide, Sodium Selenate,Cyanocobalamin, Phylloquinone, and Vitamin D3. Allergens: Contains milk ingredients Vital AF 1.2 Cal Nutrition Information: Volume 8 fl oz 1000 mL Calories 284 1200 Protein 17.8 grams 75 grams Fat 12.8 grams 33.9 grams Carbohydrates 26.2 grams 110.6 grams Dietary Fiber 1.2 grams 5.1 grams L-Carnitine 30 mg 125 mg Taurine 30 mg 125 mg Water 192 grams 811 grams Vitamin A 1300 IU 5485 IU Vitamin D 240 IU 1013 IU Vitamin E 60 IU 253 IU Vitamin K 16 mcg 68 mcg Vitamin C 100 mg 422 mg Vitamin B12 2.4 mcg 10 mcg Vitamin B6 1.2 mg 5.1 mg Niacin 8 mg 34 mg Biotin 120 mcg 506 mcg Pantothenic Acid 4.0 mg 17 mg Sodium 300 mg 1266 mg Potassium 400 mg 1688 mg Chloride 300 mg 1266 mg Calcium 200 mg 844 mg Phosphorus 200 mg 844 mg Magnesium 80 mg 338 mg Iodine 30 mcg 125 mcg Manganese 1.0 mg 4.2 mg Copper 0.40 mg 1.7 mg Iron 3.6 mg 15 mg Zinc 6.0 mg 25 mg Selenium 16 mcg 68 mcg Chromium 24 mcg 100 mcg Molybdenum 36 mcg 150 mcg Manufacturer Abbott Nutrition Brand Vital Disclaimer Use Under Medical Supervision FSA / HSA No Ingredients Water, Corn Maltodextrin, Whey Protein Hydrolysate, Hydrolyzed Sodium Caseinate, Structured Lipid (Interesterified Marine Oil [Contains One or More of the Following: Anchovy, Menhaden, Salmon, Sardine, Tuna], Medium-Chain Triglycerides), Medium Chain Triglycerides. Less than 1% of: Canola Oil, Soy Oil, Short-chain Fructooligosaccharides, Natural & Artificial Flavor, Cellulose Gel, DATEM, Magnesium Phosphate, Calcium Carbonate, Sodium Phosphate, Potassium Chloride, Calcium Phosphate, Potassium Citrate, Ascorbic Acid, Choline Chloride, Potassium Hydroxide, Magnesium Chloride, Acesulfame Potassium, Carrageenan, Cellulose Gum, Sucralose, L-Carnitine, Taurine, Zinc Sulfate, Ferrous Sulfate, Niacinamide, d-Alpha-Tocopheryl Acetate, Calcium Pantothenate, Manganese Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Copper Sulfate, Riboflavin, Vitamin A Palmitate, Folic Acid, Chromium Chloride, Sodium Molybdate, Potassium Iodide, Sodium Selenate, Phylloquinone, Biotin, Vitamin B12, and Vitamin D3 Legal Disclaimer Statements regarding dietary supplements have not been evaluated by the FDA and are not intended to diagnose, treat, cure, or prevent any disease or health condition. Vital AF 1.2 Cal Ready To Use Oral Supplement is peptide-based therapeutic nutrition that provides complete, balanced nutrition for long- or short-term for patients who require tube feeding and are experiencing malabsorption, maldigestion, or impaired GI function and/or GI intolerance. Features Gluten-free. Volume: 8 oz For tube or oral feeding. Use under medical supervision. Suitable for lactose intolerance. For supplemental or sole-source nutrition. 25.8 mcg/L vitamin D to help meet the increased vitamin D needs of critically ill patients. 1500 Calories (1250 mL) provide at least 100% of the RDIs for 25 essential vitamins and minerals. Contains elevated levels of antioxidants vitamins C and E and selenium to help reduce free radical damage. 75 g/L protein to meet the increased protein needs of stressed patients (greater than or equal to 1.2 g/kg) and support healing. Omega-3 fatty acids EPA (2.7 g/L) and DHA (1.1 g/L) from fish oil to help modulate inflammation and support immune function. Designed to promote tolerance: Hydrolyzed peptide-based protein system. Next generation fat to promote absorption of fatty acids. Medium chain triglycerides/fish oil structured lipid, a well-tolerated and absorbed 1.2 g of NutraFlora scFOS /8 fl oz (5.1 g/L). scFOS are prebiotic fibers that stimulate the growth of beneficial bacteria in the colon. Safety Precautions Not for IV use. Not suitable for people with galactosemia. Note: NutraFlora and scFOS are not registered trademarks of Abbott Laboratories. Ingredients: Water, Corn Maltodextrin, Whey Protein Hydrolysate, Hydrolyzed Sodium Caseinate, Structured Lipid (Interesterified Marine Oil [Contains One or More of the Following: Anchovy, Menhaden, Salmon, Sardine, Tuna], Medium-Chain Triglycerides), Medium Chain Triglycerides. Less than 1% of: Canola Oil, Soy Oil, Short-chain Fructooligosaccharides, Natural & Artificial Flavor, Cellulose Gel, DATEM, Magnesium Phosphate, Calcium Carbonate, Sodium Phosphate, Potassium Chloride, Calcium Phosphate, Potassium Citrate, Ascorbic Acid, Choline Chloride, Potassium Hydroxide, Magnesium Chloride, Acesulfame Potassium, Carrageenan, Cellulose Gum, Sucralose, L-Carnitine, Taurine, Zinc Sulfate, Ferrous Sulfate, Niacinamide, d-Alpha-Tocopheryl Acetate, Calcium Pantothenate, Manganese Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Copper Sulfate, Riboflavin, Vitamin A Palmitate, Folic Acid, Chromium Chloride, Sodium Molybdate, Potassium Iodide, Sodium Selenate, Phylloquinone, Biotin, Vitamin B12, and Vitamin D3. Allergens: Contains milk ingredients. Preparation: Instructions for Use: Shake well prior to opening. Store unopened at room temperature. Once opened, reclose, refrigerate and use within 48 hours. Oral Feeding: May be fed at room temperature or chilled. May be used for total or supplemental nutrition. Tube Feeding: Follow physician's instructions. Adjust flow rate and volume according to patient's condition and tolerance. Feed at room temperature using a feeding pump or syringe. Additional fluid requirements should be met by giving water between or after feedings or when flushing the tube. Avoid contamination during preparation and use.